

RAW SEQUENCE LISTING

**The Biotechnology Systems Branch of the Scientific and Technical
Information Center (STIC) no errors detected.**

Application Serial Number: 09/893,878C

Source: FW/6

Date Processed by STIC: 11/3/05

ENTERED



IFW 1/6

RAW SEQUENCE LISTING

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:03

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

3 <110> APPLICANT: Ladner, Robert Charles
 4 Guterman, Sonia Kosow
 5 Roberts, Bruce Lindsay
 6 Markland, William
 7 Ley, Arthur Charles
 8 Kent, Rachel Baribault
 10 <120> TITLE OF INVENTION: DIRECTED EVOLUTION OF NOVEL BINDING PROTEINS
 12 <130> FILE REFERENCE: D0617.70002US10
 14 <140> CURRENT APPLICATION NUMBER: 09/893,878C
 15 <141> CURRENT FILING DATE: 2001-06-29
 17 <150> PRIOR APPLICATION NUMBER: 08/993,776
 18 <151> PRIOR FILING DATE: 1997-12-18
 20 <150> PRIOR APPLICATION NUMBER: 08/415,922
 21 <151> PRIOR FILING DATE: 1995-04-03
 23 <150> PRIOR APPLICATION NUMBER: 08/009,319
 24 <151> PRIOR FILING DATE: 1993-01-26
 26 <150> PRIOR APPLICATION NUMBER: 07/664,989
 27 <151> PRIOR FILING DATE: 1991-03-01
 29 <150> PRIOR APPLICATION NUMBER: 07/487,063
 30 <151> PRIOR FILING DATE: 1990-03-02
 32 <150> PRIOR APPLICATION NUMBER: 07/240,160
 33 <151> PRIOR FILING DATE: 1988-09-02
 35 <160> NUMBER OF SEQ ID NOS: 304
 37 <170> SOFTWARE: PatentIn version 3.3
 39 <210> SEQ ID NO: 1
 40 <211> LENGTH: 28
 41 <212> TYPE: PRT
 42 <213> ORGANISM: Artificial sequence
 44 <220> FEATURE:
 45 <223> OTHER INFORMATION: synthetic peptide
 47 <220> FEATURE:
 48 <221> NAME/KEY: misc_feature
 49 <222> LOCATION: (2)..(2)
 50 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 52 <220> FEATURE:
 53 <221> NAME/KEY: misc_feature
 54 <222> LOCATION: (4)..(5)
 55 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 57 <220> FEATURE:
 58 <221> NAME/KEY: misc_feature
 59 <222> LOCATION: (7)..(9)
 60 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
 62 <220> FEATURE:

pp 6-7

RAW SEQUENCE LISTING

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:03

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

```

63 <221> NAME/KEY: misc_feature
64 <222> LOCATION: (11)..(15)
65 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
67 <220> FEATURE:
68 <221> NAME/KEY: misc_feature
69 <222> LOCATION: (17)..(18)
70 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
72 <220> FEATURE:
73 <221> NAME/KEY: misc_feature
74 <222> LOCATION: (20)..(22)
75 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
77 <220> FEATURE:
78 <221> NAME/KEY: misc_feature
79 <222> LOCATION: (24)..(28)
80 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
82 <400> SEQUENCE: 1
-> 84 Phe Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa Leu
85 1 5 10 15
-> 88 Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
89 20 25
92 <210> SEQ ID NO: 2
93 <211> LENGTH: 28
94 <212> TYPE: PRT
95 <213> ORGANISM: Artificial sequence
97 <220> FEATURE:
98 <223> OTHER INFORMATION: synthetic peptide
101 <220> FEATURE:
102 <221> NAME/KEY: misc_feature
103 <222> LOCATION: (2)..(2)
104 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
106 <220> FEATURE:
107 <221> NAME/KEY: misc_feature
108 <222> LOCATION: (4)..(5)
109 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
111 <220> FEATURE:
112 <221> NAME/KEY: misc_feature
113 <222> LOCATION: (7)..(9)
114 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
116 <220> FEATURE:
117 <221> NAME/KEY: misc_feature
118 <222> LOCATION: (11)..(15)
119 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
121 <220> FEATURE:
122 <221> NAME/KEY: misc_feature
123 <222> LOCATION: (17)..(18)
124 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
126 <220> FEATURE:
127 <221> NAME/KEY: misc_feature
128 <222> LOCATION: (20)..(22)

```

RAW SEQUENCE LISTING

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:03

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

```

129 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
131 <220> FEATURE:
132 <221> NAME/KEY: misc_feature
133 <222> LOCATION: (24)..(28)
134 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
136 <400> SEQUENCE: 2
-> 138 Tyr Xaa Cys Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa Leu
139 1 5 10 15
-> 142 Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
143 20 25
146 <210> SEQ ID NO: 3
147 <211> LENGTH: 29
148 <212> TYPE: PRT
149 <213> ORGANISM: Artificial sequence
151 <220> FEATURE:
152 <223> OTHER INFORMATION: synthetic peptide
155 <220> FEATURE:
156 <221> NAME/KEY: misc_feature
157 <222> LOCATION: (2)..(2)
158 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
160 <220> FEATURE:
161 <221> NAME/KEY: misc_feature
162 <222> LOCATION: (4)..(6)
163 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
165 <220> FEATURE:
166 <221> NAME/KEY: misc_feature
167 <222> LOCATION: (8)..(10)
168 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
170 <220> FEATURE:
171 <221> NAME/KEY: misc_feature
172 <222> LOCATION: (12)..(16)
173 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
175 <220> FEATURE:
176 <221> NAME/KEY: misc_feature
177 <222> LOCATION: (18)..(19)
178 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
180 <220> FEATURE:
181 <221> NAME/KEY: misc_feature
182 <222> LOCATION: (21)..(23)
183 <223> OTHER INFORMATION: Xaa can be any naturally occurring amino acid
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <222> LOCATION: (25)..(29)
188 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
190 <400> SEQUENCE: 3
-> 192 Phe Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa
193 1 5 10 15
-> 196 Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
197 20 25

```

RAW SEQUENCE LISTING

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:03

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

200 <210> SEQ ID NO: 4
 201 <211> LENGTH: 29
 202 <212> TYPE: PRT
 203 <213> ORGANISM: Artificial sequence
 205 <220> FEATURE:
 206 <223> OTHER INFORMATION: synthetic peptide
 209 <220> FEATURE:
 210 <221> NAME/KEY: misc_feature
 211 <222> LOCATION: (2)..(2)
 212 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 214 <220> FEATURE:
 215 <221> NAME/KEY: misc_feature
 216 <222> LOCATION: (4)..(6)
 217 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 219 <220> FEATURE:
 220 <221> NAME/KEY: misc_feature
 221 <222> LOCATION: (8)..(10)
 222 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 224 <220> FEATURE:
 225 <221> NAME/KEY: misc_feature
 226 <222> LOCATION: (12)..(16)
 227 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 229 <220> FEATURE:
 230 <221> NAME/KEY: misc_feature
 231 <222> LOCATION: (18)..(19)
 232 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 234 <220> FEATURE:
 235 <221> NAME/KEY: misc_feature
 236 <222> LOCATION: (21)..(23)
 237 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 239 <220> FEATURE:
 240 <221> NAME/KEY: misc_feature
 241 <222> LOCATION: (25)..(29)
 242 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
 244 <400> SEQUENCE: 4

-> 246 Tyr Xaa Cys Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa Xaa
 247 1 5 10 15

-> 250 Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa
 251 20 25

254 <210> SEQ ID NO: 5
 255 <211> LENGTH: 30
 256 <212> TYPE: PRT
 257 <213> ORGANISM: Artificial sequence
 259 <220> FEATURE:
 260 <223> OTHER INFORMATION: synthetic peptide
 263 <220> FEATURE:
 264 <221> NAME/KEY: misc_feature
 265 <222> LOCATION: (2)..(2)
 266 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid

RAW SEQUENCE LISTING

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:03

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

```

268 <220> FEATURE:
269 <221> NAME/KEY: misc_feature
270 <222> LOCATION: (4)..(7)
271 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
273 <220> FEATURE:
274 <221> NAME/KEY: misc_feature
275 <222> LOCATION: (9)..(11)
276 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
278 <220> FEATURE:
279 <221> NAME/KEY: misc_feature
280 <222> LOCATION: (13)..(17)
281 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
283 <220> FEATURE:
284 <221> NAME/KEY: misc_feature
285 <222> LOCATION: (19)..(20)
286 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
288 <220> FEATURE:
289 <221> NAME/KEY: misc_feature
290 <222> LOCATION: (22)..(24)
291 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
293 <220> FEATURE:
294 <221> NAME/KEY: misc_feature
295 <222> LOCATION: (26)..(30)
296 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
298 <400> SEQUENCE: 5
-> 300 Phe Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Phe Xaa Xaa Xaa Xaa
    301 1          5          10          15
-> 304 Xaa Leu Xaa Xaa His Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Xaa Xaa
    305          20          25          30
308 <210> SEQ ID NO: 6
309 <211> LENGTH: 30
310 <212> TYPE: PRT
311 <213> ORGANISM: Artificial sequence
313 <220> FEATURE:
314 <223> OTHER INFORMATION: synthetic peptide
317 <220> FEATURE:
318 <221> NAME/KEY: misc_feature
319 <222> LOCATION: (2)..(2)
320 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
322 <220> FEATURE:
323 <221> NAME/KEY: misc_feature
324 <222> LOCATION: (4)..(7)
325 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
327 <220> FEATURE:
328 <221> NAME/KEY: misc_feature
329 <222> LOCATION: (9)..(11)
330 <223> OTHER INFORMATION: where Xaa can be any naturally occurring amino acid
332 <220> FEATURE:
333 <221> NAME/KEY: misc_feature

```

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/893,878C

DATE: 11/03/2005
 TIME: 10:16:05

Input Set : D:\25 D0617.70002US10 MXA seq list.txt
 Output Set: N:\CRF4\11032005\I893878C.raw

Base Note:

of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> <223> fields of each sequence which presents at least one n or Xaa.

I#1; Xaa Pos. ~~2,4,5,7,8,9,11,12,13,14,15,17,18,20,21,22,24,25,26,27,28~~
 I#2; Xaa Pos. ~~2,4,5,7,8,9,11,12,13,14,15,17,18,20,21,22,24,25,26,27,28~~
 I#3; Xaa Pos. ~~2,4,5,6,8,9,10,12,13,14,15,16,18,19,21,22,23,25,26,27,28~~
 I#3; Xaa Pos. ~~29~~
 I#4; Xaa Pos. ~~2,4,5,6,8,9,10,12,13,14,15,16,18,19,21,22,23,25,26,27,28~~
 I#4; Xaa Pos. ~~29~~
 I#5; Xaa Pos. ~~2,4,5,6,7,9,10,11,13,14,15,16,17,19,20,22,23,24,26,27,28~~
 I#5; Xaa Pos. ~~29,30~~
 I#6; Xaa Pos. ~~2,4,5,6,7,9,10,11,13,14,15,16,17,19,20,22,23,24,26,27,28~~
 I#6; Xaa Pos. 29,30
 I#7; Xaa Pos. 1,3,4,5,6,8
 I#8; Xaa Pos. 3,5,6,7,8,10
 I#19; Xaa Pos. 1,2,4,5,6,7,9,10
 I#20; Xaa Pos. 1,4,5,6,8,9,10,11,12
 I#21; Xaa Pos. 1,2,5,6,7,9,10,11,12,13
 I#22; Xaa Pos. 1,4,5,6,8,9,10,11,12,14
 I#23; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15
 I#24; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15
 I#25; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16
 I#26; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16
 I#27; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17
 I#28; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16,17
 I#29; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17,18
 I#30; Xaa Pos. 1,4,5,6,8,9,10,11,12,14,15,16,17,18
 I#31; Xaa Pos. 1,2,5,6,7,9,10,11,12,13,15,16,17,18,19
 I#32; Xaa Pos. 1,2,5,6,7,8,9,11,12,13,14,16,17,18,19,22
 I#34; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23
 I#35; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23,24
 I#36; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,20,21,22,23,24,25
 I#37; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24
 I#38; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24,25
 I#39; Xaa Pos. 2,3,4,5,6,7,9,10,11,12,13,14,17,18,19,21,22,23,24,25,26
 I#40; Xaa Pos. 5,6,7,8,9,10
 I#41; Xaa Pos. 5,6,7,8,9,10
 I#42; Xaa Pos. 4,6,7,8,9,10,11
 I#88; N Pos. 4,5,6,7,8
 I#106; N Pos. 6,9,12,15,18,21,24,27,30,33,36,39,42,45,48,51,54,60,63,66
 I#106; N Pos. 69,72,75,78,81,84,87,90,93,96,99,102,105,108,111,114,117
 I#106; N Pos. 120,123,126,129,132,135,138,141,144,147,150,153,156,159
 I#106; N Pos. 162,165,168,171,174,177,180,183,186,189,192,195,198,201
 I#106; N Pos. 204,207,210,213,216,219,222,228,231,234,237,240,243,246
 I#106; N Pos. 249,252,255,258,261,264,267,270,273,276,279,282,285,288
 I#106; N Pos. 291,294,297,300,303,306,309,312,315,318,324,330,333,336
 I#106; N Pos. 339,342,345,348,351,354,357,360,363,366,369,372,375,378

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/09/893,878C

DATE: 11/03/2005
TIME: 10:16:05

Input Set : D:\25 D0617.70002US10 MXA seq list.txt
Output Set: N:\CRF4\11032005\I893878C.raw

I#:106; N Pos. 381,384,387,390,393,396,399,402
I#:107; N Pos. 6,9,12,15,18,21,24,27,30,33,36,39,42,45,48,51,54,60,63,66
I#:107; N Pos. 69,72,75,78,81,84,87,90,93,96,99,102,105,108,111,114,117
I#:107; N Pos. 120,123,126,129,132,135,138,141,144,147,150,153,156,159
I#:107; N Pos. 162,165,168,171,174,177,180,183,186,189,192,195,198,201
I#:107; N Pos. 204,207,210,213,216,219,222,228,231,234,237,240,243,246
I#:107; N Pos. 249,252,255,258,261,264,267,270,273,276,279,282,285,288
I#:107; N Pos. 291,294,297,300,303,306,309,312,315,318,324,330,333,336
I#:107; N Pos. 339,342,345,348,351,354,357,360,363,366,369,372,375,378
I#:107; N Pos. 381,384,387,390,393
I#:129; N Pos. 21,22,23,24,25,26,27,28,29
I#:130; N Pos. 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35
I#:131; N Pos. 21,22,23,24,25,26,27,28,29,30,31,32,33,34,35,36,37,38,39
I#:131; N Pos. 40,41
I#:133; N Pos. 29,30,31,32,33,34,35,36,37
I#:134; N Pos. 28,29,30,31,32,33,34,35,36,37,38,39,40,41,42
I#:135; N Pos. 29,30,31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46,47
I#:135; N Pos. 48,49
I#:151; N Pos. 5,6,7,8,9
I#:170; N Pos. 22,23,24,28,29,30,52,53,54,58,59,60,73,74,75,115,116,117
I#:171; Xaa Pos. 6,8,16,18,23,37
I#:172; N Pos. 22,23,24,28,29,30,52,53,54,58,59,60
I#:173; N Pos. 22,23,24,64,65,66
I#:176; N Pos. 18,19,27,28,33,34,35,37,57,58,59,66,67,68,69,70,71,120,121
I#:176; N Pos. 122
I#:177; Xaa Pos. 4,7,9,10,17,20,21,38
I#:178; N Pos. 19,20,21
I#:179; N Pos. 18,19,27,28,33,34,35,37,57,58,59,66,67,68,69,70,71
I#:182; N Pos. 18,19,24,25,42,43,44,55,56,72,78,80,87,88,89,93,94,95
I#:183; Xaa Pos. 4,6,12,16,22,24,27,29
I#:184; N Pos. 18,19,24,25,42,43,44,55,56
I#:185; N Pos. 31,32,33,37,38,39,46,48,54
I#:193; N Pos. 4,5,6,7,8,9
I#:281; Xaa Pos. 1
I#:282; Xaa Pos. 1
I#:284; Xaa Pos. 1
I#:287; Xaa Pos. 1
I#:297; Xaa Pos. 14
I#:301; Xaa Pos. 1

VERIFICATION SUMMARY

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:05

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

34 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:0
38 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:1 after pos.:16
138 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
142 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:16
192 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
196 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:16
246 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
250 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:16
300 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:16
354 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
358 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:16
388 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
118 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
588 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
518 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
548 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
583 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
718 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
753 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
788 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
323 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
363 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
367 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:16
302 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
306 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:16
341 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
345 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:16
385 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
389 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:16
1024 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
1028 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:16
1068 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
1072 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:16
1130 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
1134 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:16
1169 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
1173 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:16
1208 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
1212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:16
1247 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
1251 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:16
1286 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0
1290 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:16
1325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0
1329 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:16
1349 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:0
1368 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:41 after pos.:0

VERIFICATION SUMMARY

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:05

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

1393 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0
2558 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:88 after pos.:0
3434 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:0
3436 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:60
3438 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:120
3440 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:180
3442 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:240
3444 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:300
3446 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:106 after pos.:360
1089 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:0
1091 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:60
1093 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:120
1095 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:180
1097 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:240
1099 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:300
1101 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:107 after pos.:360
1467 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:129 after pos.:0
1567 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:130 after pos.:0
1701 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:131 after pos.:0
1779 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:133 after pos.:0
1877 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:134 after pos.:0
5011 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:135 after pos.:0
5233 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:151 after pos.:0
5678 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:170 after pos.:0
5680 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:170 after pos.:60
5737 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:171 after pos.:0
5741 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:171 after pos.:16
5745 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:171 after pos.:32
5827 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:172 after pos.:0
5880 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:173 after pos.:0
5882 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:173 after pos.:60
5045 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:176 after pos.:0
5047 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:176 after pos.:60
5049 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:176 after pos.:120
5110 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:177 after pos.:0
5114 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:177 after pos.:16
5118 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:177 after pos.:32
5149 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:178 after pos.:0
5256 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:179 after pos.:0
5258 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:179 after pos.:60
5409 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:182 after pos.:0
5411 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:182 after pos.:60
5479 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:183 after pos.:0
5483 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:183 after pos.:16
5548 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:184 after pos.:0
5616 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:185 after pos.:0
5845 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:193 after pos.:0
3628 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:281 after pos.:0
3653 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:282 after pos.:0

VERIFICATION SUMMARY

DATE: 11/03/2005

PATENT APPLICATION: US/09/893,878C

TIME: 10:16:05

Input Set : D:\25 D0617.70002US10 MXA seq list.txt

Output Set: N:\CRF4\11032005\I893878C.raw

3698 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:284 after pos.:0
3763 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:287 after pos.:0
3972 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:297 after pos.:0
9065 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:301 after pos.:0